























- Simopoulos, A.P. (2004). Omega-6/Omega-3 Essential Fatty Acid Ratio and Chronic Diseases. *Food Reviews International*. 20,77–90.
- Sivasankari, S., Venkatesalu, V., Anantharaj, M., & Chandrasekaran, M. (2006). Effects of seaweed extracts on the growth and biochemical constituents of *Vigna sinensis*. *Bioresource Technology*. 97,1745-1751.
- Sze P. (1997). A biology of the Algae. McGraw-Hill, United States of America.122-128.
- Swartenbroux, F., Albajedo, B., Angelidis, M., Aulne, M., Bartkevics, V., Besada, V., Bignert, A., Bitterhof, A., Hallikainen, A., Hoogenboom, R., Jorhem, L., Jud, M., Law, R., Cederberg, D. L., McGovern, E., Miniero, R., Schneider, R., Velikova, V., Verstraete, F., Vinas, L., & Vlad, S. (2010). *Marine Strategy Framework Directive, Contaminants in Fish and Other Seafood*. Luxembourg.
- Tay, S.A.B., MacLeod, J.K., Palni, L.M.S., & Letham, D.S. (1985). Detection of cytokinins in a seaweed extract. *Phytochemistry*. 24,2611–2614.
- Temple, W.D., & Bomke, A.A. (1989). Effects of kelp (*Macrocystis integrifolia* and *Ecklonia maxima*) foliar applications on bean crop growth. *Plant and Soil*. 117,85-92.
- Thomson, S.J., Askari, A., & Bishop-Bailey, D. (2012). Anti-Inflammatory effects of epoxyeicosatrienoic acids. *International journal of vascular medicine*. 2012,1-7.
- Tompkins, J., Deville, M.M., Day, J.G., & Turner, M.F. (1995). Catalogue of strains. Culture Collection of Algae and Protozoa, Ambleside, UK. .
- Troell, M., Halling, C., Nilson, A., Bushmann, A.H., Kautsky, N., & Kautsky, L. (1997). Integrated Marine Cultivation of *Gracilaria chilensis* (Gracilariales, Rhodophyta) and Salon Cages for Reduced Environmental Impact and Increased Economic Output. *Aquaculture*. 156,45 - 61.
- Turpin, D.H. (1991). Effects of Inorganic N Availability on Algal Photosynthesis and Carbon Metabolism. *Journal of Phycology*. 27,14 - 20.
- UIPAC (1979) Standards methods for the analysis of oils, fats ad derivatives. Pergamon Press, Oxford
- Venkataraman, K., & Mohan, V.R. (1997). The effect of liquid seaweed fertilizer on black - gram. *Phykos*. 36,43-47.
- Zadope, S.T., Mukherjee, S., Reddy, M.P., & Chaudhary, D.R. (2009). Effect of *Kappaphycus alvarezii* (Doty) Doty ex silva. Extract on grain quality, yield and some yield components of wheat (*Triticum aestivum* L.). *International Journal of Plant Productions*. 3,97 – 101.
- Zavodnik, N., & Juranic L.J. (1982). Content of Phosphorus and Protein in Seaweeds from the Area of Fazana (Nort Adriatic Sea). *Acta Adriatica*. 23,271-27.