

- Mariannis D, Christodoulides C, Christou S, Tzoulis P, Campisi S, Di Maio S, De Sanctis V. *Endocrine*. 2019 Dec 18. doi: 10.1007/s12020-019-02159-6. [Epub ahead of print]
4. Prevalence of endocrine disorders and their associated factors in transfusion-dependent thalassemia patients: a historical cohort study in Southern Iran. Bordbar M, Bozorgi H, Saki F, Haghpanah S, Karimi M, Bazrafshan A, Zekavat OR. *J Endocrinol Invest*. 2019 Dec;42(12):1467-1476. doi: 10.1007/s40618-019-01072-z. Epub 2019 Jun 21.
 5. Soliman AT, M ElZalabany, Amer M, Ansari BM. Growth and pubertal development in transfusion-dependent children and adolescents with thalassaemia major and sickle cell disease: a comparative study. *J Trop Pediatr*. 1999;45:23–30.
 6. De Sanctis V, Soliman AT, Elsedfy H, Skordis N, Kattamis C, Angastiniotis M, Karimi M, Yassin MA, El Awwa A, Stoeva I, Raiola G, Galati MC, Bedair EM, Fiscina B, El Kholy M. Growth and endocrine disorders in thalassemia: The International Network on Endocrine Complications in Thalassemia (I-CET) position statement and guidelines. *Indian J Endocrinol Metab*. 2013;17:8–18.
 7. Moayeri H, Oloomi Z. Prevalence of growth and puberty failure with respect to growth hormone and gonadotropins secretion in beta-thalassemia major. *Arch Iran Med*. 2006;9:329–334.
 8. St Pierre TG, Clark PR, Chua-Anusorn W, Fleming AJ, Jeffrey GP, Olynyk JK, Pootrakul P, Robins E, Lindeman R. Noninvasive measurement and imaging of liver iron concentrations using proton magnetic resonance. *Blood*. 2005;105:855–861
 9. Soliman A, De Sanctis V, Yassin M. Vitamin d status in thalassemia major: an update. *Mediterr J Hematol Infect Dis*. 2013;5(1):e2013057. doi: 10.4084/mjhid.2013.057. [