

























- Daliri M.R. (2012). Automatic diagnosis of neuro-degenerative diseases using gait dynamics, Measurement. 45, 1729-1734.
- Dutta S., Chatterjee A., Munshi S. (2009). An automated hierarchical gait pattern identification tool employing cross-correlation-based feature extraction and recurrent neural network based classification. Expert Systems. 26 (2), 202-217.
- Goldberger, A.L., Amaral, L.A.N., Glass, L, Hausdorff, J.M., Ivanov, P.Ch., Mark, R.G., Mietus, J.E., Moody, G.B., Peng, C.-K., Stanley, H.E. (2003). PhysioBank, PhysioToolkit, and PhysioNet: Components of a new research resource for complex physiologic signals. Circulation. 101(23), e215-e220.
- Hausdorff, J.M., Purdon, P.L., Peng, C.-K., Ladin, Z., Wei, J.Y., Goldberger, A.L. (1995). Is walking a random walk? Evidence for long-range correlations in the stride interval of human gait. Journal of Applied Physiology. 78, 349-358.
- Hausdorff, J.M., Cudkowicz, M.E., Firtion, R., Wei, J.Y., Goldberger, A.L. (1998). Gait variability and basal ganglia disorders: stride-to-stride variations in gait cycle timing in Parkinson's and Huntington's disease. Movement Disorder. 13, 428-437.
- Hausdorff, J.M., Lertratanakul, A., Cudkowicz, M.E., Peterson, A.L., Kaliton, D., Goldberger, A.L. (2000). Dynamic markers of altered gait rhythm in amyotrophic lateral sclerosis. Journal of Applied Physiology. 88(6), 2045-2053.
- Jin, H., Li, C., Xu, J. (2018). Pilot Study on Gait Classification Using fNIRS Signals. Computational Intelligence and Neuroscience. 2018, Article ID 7403471, 9 pages.
- Kamath, C. (2017). Influence of neurodegenerative disorders on gait dynamics using poincaré symbolic measures. MOJ Gerontol Geriatrics. 1(6), 164–173.
- Lee S., Lim J.S. (2012) Parkinson's disease classification using gait characteristics and wavelet-based feature extraction. Expert Systems with Applications. 39, 7338-7344.
- Pailhous, M. B. (1992). Steady-state fluctuations of human walking. Behavioral Brain Research. 47, 181–190.
- Spiegel, M.R., Lipschutz, S., Spellman, D. (2009). Vector Analysis. 2. ed. McGraw Hill, USA.
- Williams, G.P. (1997). Chaos Theory Tamed. 1. ed. London: CRC press.
- Wu Y., Krishnan S. (2009). Computer-aided analysis of gait rhythm fluctuations in amyotrophic lateral sclerosis. Medical & Biological Engineering & Computing. 47, 1165-1171.
- Wu Y., Krishnan S. (2010). Statistical analysis of gait rhythm inpatients with Parkinson's disease. IEEE Transactions on Neural Systems and Rehabilitation Engineering. 18(2), 150-158.
- Xia Y., Gao Q., Ye Q. (2015). Classification of gait rhythm signals between patients with neuro-degenerative diseases and normal subjects: Experiments with statistical features and different classification models. Biomedical Signal Processing and Control. 18, 254-262.
- Ye, Q., Xia, Y., Yao, Z. (2018). Classification of gait patterns in patients with neurodegenerative disease using adaptive neuro-fuzzy inference system. Computational and Mathematical Methods in Medicine. 2018, Article ID 9831252, 8 pages.
- Zelula, P., Amato, G., Dohnal, V., Batko, M. (2006). Similarity Search the Metric Space Approach. Springer, US.